

PRICE BOOK

JANUARY 2026



SDI **Steel Dynamics®**
Flat Roll Group




TABLE OF CONTENTS

BUTLER DIVISION

BUTLER, INDIANA

Hot-Rolled Bands	2
Cold-Rolled Sheet	4
Galvanized Hot-Rolled Sheet	6
Galvanized Cold-Rolled Sheet	8

JEFFERSONVILLE, INDIANA

Galvanized Cold-Rolled Sheet	10
Galvalume® Sheet	11

COLUMBUS DIVISION

COLUMBUS, MISSISSIPPI

Hot-Rolled Bands	13
Cold-Rolled Sheet	15
Galvanized Hot-Rolled Sheet	17
Galvanized Cold-Rolled Sheet	18
Galvalume® Sheet	20
Aluminized Type 1 Sheet	21

HEARTLAND DIVISION

TERRE HAUTE, INDIANA

Hot-Rolled Pickled	23
Cold-Rolled Sheet	24
Galvanized Hot-Rolled Sheet	25
Galvanized Cold-Rolled Sheet	26
Galvalume® Sheet	27

TABLE OF CONTENTS

SOUTHWEST-SINTON DIVISION

SINTON, TEXAS

Hot-Rolled Bands.....	29
Plate.....	31
Cold-Rolled Sheet.....	33
Galvanized Hot-Rolled Sheet	35
Galvanized Cold-Rolled Sheet	36
Galvalume® Sheet.....	38

THE TECHS DIVISION

PITTSBURGH, PENNSYLVANIA

GalvTech

Galvanized Cold-Rolled Sheet	40
Galfan® Cold-Rolled Sheet.....	42

MetalTech

Galvanized Hot-Rolled Sheet	43
Galvanized Cold-Rolled Sheet	44
Galfan® Hot-Rolled Sheet.....	45
Galfan® Cold-Rolled Sheet.....	46

NexTech

Galvanized Cold-Rolled Sheet	47
------------------------------------	----


METALLIC COATING EXTRAS

Standard, Metric, & Galvalume® Metallic Coating Extras	49
Galfan® Metallic & Aluminized Coating Extras.....	50



BUTLER DIVISION

Butler, Indiana
Jeffersonville, Indiana



Butler, Indiana
4500 County Road 59
Butler, Indiana 46721
(800) 799-8942

Jeffersonville, Indiana
5134 Loop Road
Jeffersonville, Indiana 47130
(812) 218-1490

SDI **Steel Dynamics, Inc.®**
Flat Roll Group
Butler Division

HOT-ROLLED BANDS

Steel Dynamics base hot-rolled steel sheet is an unprocessed band directly off the hot-strip mill and has not been side-trimmed or cropped back to gauge. As rolled, hot bands may be susceptible to coil breaks. Additional processing such as temper passing, pickling, edge trimming and tension leveling are available on site or via a qualified external processor. SDI hot-rolled bands are produced on a 30" ID. All processed hot-rolled steel sheet will be provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36"- <42"	42"- <48"	48"- 62"
0.388	0.084	0.375	0.081	\$4.00	\$2.00	Base
0.084	0.069	0.081	0.066	\$4.50	\$2.50	\$0.50
0.069	0.058	0.066	0.055	\$6.50	\$4.50	\$2.50
0.058	0.042	0.055	0.039	\$7.00	\$5.00	\$3.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A1011 & ASTM A1018

Hot-rolled carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Drawing Steel Type B (Boron)	\$0.50
Drawing Steel Type B (Titanium)	\$0.75

Structural Steels

SS Grade 30	\$0.50
SS Grade 33	\$0.50
SS Grade 36 Type 1	\$0.50
SS Grade 36 Type 2	\$1.00
SS Grade 40	\$0.50
SS Grade 45	\$0.50
SS Grade 50	\$1.25
SS Grade 55	\$1.50
SS Grade 57 <i>Modified for racking and purlin</i>	\$1.75

High-Strength Low-Alloy Steels	Class 1	Class 2
HSLAS Grade 45	\$2.25	\$1.75
HSLAS Grade 50	\$2.75	\$2.25
HSLAS Grade 55	\$3.25	\$2.75
HSLAS Grade 60	\$4.25	\$3.75
HSLAS Grade 65	\$4.75	\$4.25
HSLAS Grade 70	\$5.50	\$5.00

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.50

Ultra-High-Strength Steels

UHSS Grade 90 Type 1	\$8.00
UHSS Grade 100 Type 1	Inquire

ASTM A36

Hot-rolled carbon steel sheet used for general structural purposes. Coils are excluded from qualification to ASTM A36 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A36	\$0.50
----------------------------	--------

ASTM A414

Hot-rolled high-strength, low-alloy carbon steel sheet for pressure vessels. Coils are excluded from qualification to ASTM A414 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A414 Grade C	\$1.50
For Conversion to ASTM A414 Grade G	\$1.50

ASTM A572

Hot-rolled high-strength, low-alloy columbium-vanadium carbon steel intended for riveted, bolted, or welded structures. Coils are excluded from qualification to ASTM A572 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A572 Grade 50 Type 1	Inquire
---	---------

ASTM A606

Hot-rolled, high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance.

Type 4	\$10.50
--------	---------

Widths other than 48", 60" may be subject to accumulation.

ASTM A786

Hot-rolled carbon steel floor plate, Pattern No. 4.

ASTM A1011/A1018 Commercial Steel Type B	\$3.00
For Conversion to ASTM A36	\$3.50

Widths other than 48", 60" may be subject to accumulation.

ADDITIONAL MATERIAL SPECIFICATIONS SUITABLE FOR CONVERSION TO CERTAIN ASTM PLATE SPECIFICATIONS AND CERTAIN ASTM AND PIPE AND TUBE SPECIFICATIONS MAY BE AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

HOT-ROLLED BANDS

SAE J403

Hot-rolled carbon steel

1006	Base
1008	Base
1015	\$0.50
1017	\$0.50
1018	\$0.75
1020	\$0.75
1021	\$0.75
1022	\$0.75
1026	\$1.75
1030	\$1.75
1035	\$2.25
1050	\$2.75

Additional boron-intensified steels (xxBxx) available on an inquiry-by-inquiry basis.

SAE J404

Hot-rolled carbon-alloy steel sheet

4130	Inquire
------	---------

JAPANESE INDUSTRIAL STANDARD (JIS) G3131

Hot-rolled carbon steel sheet for general forming

SPHC	\$0.25
SPHD	\$0.75

JAPANESE INDUSTRIAL STANDARD (JIS) G3113

Hot-rolled carbon steel sheet for automotive structural applications

SAPH 310	\$1.25
SAPH 370	\$1.75
SAPH 400	\$3.25
SAPH 440	\$3.75
SAPH 540	Inquire
SAPH 590	Inquire

STANDARD PROCESSING EXTRAS

PICKLING

	MILL EDGE	CUT EDGE
From .375 min – .250 min	\$2.50	\$3.00
Under .250 min – .066 min	\$2.00	\$2.50
Under .066 min – .039 min	\$2.25	\$2.75

TEMPER PASS

Under .170 min – .066 min	\$2.50	
Under .066 min – .042 min	\$2.00	

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

700 PIW to 1150 PIW	Base
Under 700 PIW	\$1.00

SAE J1392

Hot-rolled, high-strength, low-alloy carbon steel sheet

	XLF	YLF	ZLF
035	\$0.75	N/A	N/A
040	Inquire	N/A	N/A
045	\$1.75	\$2.25	Inquire
050	\$2.25	\$2.75	\$3.25
060	\$3.75	\$4.25	Inquire
070	\$5.00	\$5.50	N/A
080	\$6.50	\$7.00	N/A

SAE J2340

Hot-rolled, high-strength, low-alloy carbon steel sheet

	SF	XF	YF
300	\$2.75	\$2.25	Inquire
340	Inquire	\$2.75	Inquire
380	N/A	\$3.25	Inquire
420	N/A	\$4.25	Inquire
490	N/A	\$5.50	N/A
550	N/A	\$7.00	N/A

JAPANESE INDUSTRIAL STANDARD (JIS) G3134

Hot-rolled, high-strength carbon steel sheet with improved formability for automotive applications

SPFH 540	\$7.00
SPFH 590	\$8.00

SHAPE ENHANCEMENT

	MILL EDGE	CUT EDGE
From .375 min – .165 min	Inquire	Inquire
Under .165 min – .066 min	\$1.00	\$1.50
Under .066 min – .040 min	\$1.50	\$2.00

OTHER

Hot-Rolled Pickle Annealed	Inquire
----------------------------	---------

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item. Please note that certain grade, thickness, and width combinations may require a minimum order quantity of up to 450 tons to avoid accumulation.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

COLD-ROLLED SHEET

Steel Dynamics base cold-rolled steel sheet has been cold-reduced to the specified thickness and subsequently annealed and temper-rolled to achieve the specified characteristics. Alternately, customers may specify a full-hard cold-rolled sheet with off-gauge heads and tails cropped at the temper mill. SDI cold-rolled sheet is produced on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 61"
0.1020	0.0295	0.1000	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A109

Cold-rolled carbon steel strip

No. 1 Temper (Full Hard)	Base
No. 2 Temper (Half Hard)	\$1.50
No. 3 Temper (Quarter Hard)	\$0.75
No. 4 Temper (Skin Rolled)	\$0.50

ASTM A1008

Cold-rolled carbon steel sheet

Mild Steels	
Commercial Steel Type B	Base
Drawing Steel Types B	\$0.50

Structural Steels

SS Grade 25	\$0.50
SS Grade 30	\$0.50
SS Grade 33 Type 1	\$0.50
SS Grade 40 Type 1	\$0.75
SS Grade 45	\$0.75
SS Grade 80	\$0.50

High-Strength Low-Alloy Steels

	Class 1	Class 2
HSLAS Grade 45	\$2.75	\$1.75
HSLAS Grade 50	\$3.25	\$2.75
HSLAS Grade 55	\$3.75	\$3.25
HSLAS Grade 60	Inquire	\$4.00

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 50	\$3.25
HSLAS-F Grade 60	\$4.50

ASTM A606

Cold-rolled, high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance

Type 4 Modified	Inquire
-----------------	---------

Widths other than 48" and 60" may be subject to accumulation.

SAE J403

Cold-rolled carbon steel sheet

1006	Base
1008	Base
1015	\$0.50
1017	\$0.50
1018	\$0.75
1020	\$0.75
1021	\$0.75
1022	\$0.75
1050	Inquire
1055	Inquire

SAE J1392

Cold-rolled, high-strength, low-alloy carbon steel sheet

	XLF	YLF	ZLF
035	\$1.50	N/A	N/A
040	\$1.50	N/A	N/A
045	\$1.75	\$4.00	\$4.50
050	\$2.75	\$4.50	N/A

SAE J2340

Cold-rolled, high-strength, low-alloy carbon steel sheet

	SF	XF	YF
300	N/A	\$3.00	N/A
340	N/A	\$3.50	\$4.50
380	N/A	\$4.00	N/A
420	N/A	\$4.50	N/A

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

COLD-ROLLED SHEET

JAPANESE INDUSTRIAL STANDARD (JIS) G3141

Cold-rolled carbon steel sheet for general forming

SPCC 270	\$0.75
----------	--------

JAPANESE INDUSTRIAL STANDARD (JIS) G3135

Cold-rolled carbon steel sheet for automotive structural applications

SPFC 340	\$1.25
SPFC 370	\$2.25
SPFC 390	\$3.25
SPFC 440	\$3.75

STANDARD PROCESSING EXTRAS

OTHER

Mill Edge	(\$0.50)
-----------	----------

*Only available on .030 minimum or heavier. May not be available on all grades.
Please refer to our product capabilities for more information.*

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped galvanized or galvannealed product is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. Temper rolling may be specified to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized and galvannealed steel sheet is spangle-free and is provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.
Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36"- <42"	42"- <48"	48"- 61.5"
0.1650	0.0690	0.1600	0.0660	\$3.00	\$1.50	Base
0.0690	0.0550	0.0660	0.0520	\$3.25	\$1.75	Base
0.0550	0.0460	0.0520	0.0420	\$3.50	\$2.00	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.00
SS Grade 50 – Class 2	\$0.75
SS Grade 50 – Class 3	\$1.00
SS Grade 50 – Class 4	\$0.75
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
High-Strength Low-Alloy Steels	
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 2	\$3.25
HSLAS Grade 60	\$3.75
HSLAS Grade 70	\$5.00
HSLAS Grade 80	\$6.50
HSLAS Grade 100	Inquire

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.50
NS Grade 40	\$0.50
NS Grade 50	\$1.00
ST Grade 33H	\$0.50
ST Grade 37H	\$0.50
ST Grade 40H	\$0.50
ST Grade 50H	\$1.00

SAE J1392

Hot-dipped galvanized, high-strength, low-alloy carbon steel sheet

040 XLF	\$1.50
050 XLF	\$2.25
060 XLF	\$3.75
070 XLF	\$5.00
080 XLF	\$6.50

SAE J2340

Hot-dipped galvanized dent resistant, high-strength, and ultra high-strength carbon sheet steel

340 XF	\$2.75
380 XF	\$3.25
420 XF	\$4.25
490 XF	\$5.50
550 XF	\$7.00

SAE J403

Hot-dipped galvanized carbon steel sheet

1006	Base
1008	Base
1015	\$0.50
1017	\$0.50
1018	\$0.75
1020	\$0.75

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED HOT-ROLLED SHEET

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Temper-Rolled	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Clear Acrylic	\$1.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
Less than 20,000#	Inquire

OTHER

Galvanneal	\$1.00
U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100.

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized or galvannealed product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized and galvannealed steel sheet is spangle-free and is provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 61.5"
0.0735	0.0295	0.0710	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels	
Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 - Class 1	\$1.75
SS Grade 50 - Class 2	\$1.00
SS Grade 50 - Class 4	\$1.00
SS Grade 80 - Class 1	\$0.50
Post Annealed	
Drawing Steel Modified	\$2.00
SS Grade 33	\$2.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 50	\$1.75
ST Grade 33H	\$0.25
ST Grade 37H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75

SAE J1392

Hot-dipped galvanized, high-strength, low-alloy carbon steel sheet

040XLF	\$1.50
--------	--------

SAE J403

Hot-dipped galvanized carbon steel sheet

1006	Base
1008	Base
1015	\$0.25
1017	\$0.25
1018	\$0.50
1020	\$0.75

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base

OTHER

Galvanneal	\$1.00
U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100, and only available on certain grades ordered as .030 minimum and heavier. Please refer to our product capabilities for more information.

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Jeffersonville, IN

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is spangle-free and is provided on a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 61.5"
0.0470	0.0295	0.0455	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation (RoHS-Compliant)	Base
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

OTHER

U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100, and only available on certain grades ordered as .030 minimum and heavier. Please refer to our product capabilities for more information.

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Jeffersonville, IN

GALVALUME® SHEET

Steel Dynamics GALVALUME® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. This product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI GALVALUME® is produced with a regular spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 61.5"
0.0470	0.0295	0.0455	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A792

Hot-dipped 55% aluminum-zinc alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50

Structural Steels

SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

OTHER

Mill Edge	(\$0.50)
-----------	----------

Available only on .030 minimum and heavier. May not be available on all grades. Please refer to our product capabilities for more information.

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation (RoHS-Compliant)	Base
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY


40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

COLUMBUS DIVISION

Columbus, Mississippi



Columbus Division
1945 Airport Road
Columbus, MS 39703
(866) 369-3047

Columbus, MS

HOT-ROLLED BANDS

Steel Dynamics base hot-rolled steel sheet is an unprocessed band directly off the hot-strip mill and has not been side-trimmed or cropped back to gauge. As rolled, hot bands may be susceptible to coil breaks. Additional processing such as temper passing, pickling, edge trimming and tension leveling are available on site or via a qualified external processor. SDI hot-rolled bands are produced on a 30" ID. All processed hot-rolled steel sheet will be provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width			
Under	Thru	Under	Thru	36"- <42"	42"- <48"	48"- 72"	>72"- 76"
0.756	0.084	0.750	0.081	\$4.00	\$2.00	Base	\$0.50
0.084	0.069	0.081	0.066	\$4.50	\$2.50	\$0.50	\$1.50
0.069	0.058	0.066	0.055	\$6.50	\$4.50	\$2.50	—

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A1011 & ASTM A1018

Hot-rolled carbon steel sheet

Mild Steels

Commercial Steel Types A & B	Base
Drawing Steel Types A & B	\$0.50
Structural Steels	
SS Grade 30	\$0.50
SS Grade 33	\$0.50
SS Grade 36 Type 1	\$0.50
SS Grade 36 Type 2	\$1.00
SS Grade 40	\$0.50
SS Grade 45	\$0.50
SS Grade 50	\$1.25
SS Grade 55	\$1.50
SS Grade 57 <i>Modified for racking and purlin</i>	\$1.75

High-Strength Low-Alloy Steels	Class 1	Class 2
HSLAS Grade 45	\$2.25	\$1.75
HSLAS Grade 50	\$2.75	\$2.25
HSLAS Grade 55	\$3.25	\$2.75
HSLAS Grade 60	\$4.25	\$3.75
HSLAS Grade 65	\$4.75	\$4.25
HSLAS Grade 70	\$5.50	\$5.00

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.50

Ultra-High-Strength Steels

UHSS Grade 90 Type 1	\$8.00
UHSS Grade 100 Type 1	Inquire

ASTM A36

Hot-rolled carbon steel sheet used for general structural purposes. Coils are excluded from qualification to ASTM A36 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A36	\$0.50
----------------------------	--------

COPPER SPECIFIED (> .20%)

\$1.50

ASTM A283

Low and intermediate tensile strength carbon steel of structural quality for general application. Coils are excluded from qualification to ASTM A283 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A283 Grade C	\$0.50
-------------------------------------	--------

ASTM A285

Low and intermediate tensile strength carbon steel for pressure vessels. Coils are excluded from qualification to ASTM A285 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A285 Grade C	\$0.50
-------------------------------------	--------

ASTM A414

Hot-rolled high-strength, low-alloy carbon steel sheet for pressure vessels. Coils are excluded from qualification to ASTM A414 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A414 Grade C	\$1.50
-------------------------------------	--------

ASTM A455

High tensile strength hot-rolled carbon-manganese steel for pressure vessels. Coils are excluded from qualification to ASTM A455 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A455 Grade G	\$1.75
-------------------------------------	--------

ASTM A516

Hot-rolled carbon steel intended for service in pressure vessels for moderate- to lower-temperature service. Coils are excluded from qualification to ASTM A516 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A516 Grade 70	\$1.50
--------------------------------------	--------

ASTM A572

Hot-rolled high-strength, low-alloy columbium-vanadium carbon steel intended for riveted, bolted, or welded structures. Coils are excluded from qualification to ASTM A572 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A572 Grade 50	\$2.25
For Conversion to ASTM A572 Grade 55	\$2.75
For Conversion to ASTM A572 Grade 60	\$3.75
For Conversion to ASTM A572 Grade 65	\$4.25

Available in Types 1, 2, or 3 for most thickness and width combinations.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

HOT-ROLLED BANDS

ASTM A588

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for riveted, bolted, or welded structure. Coils are excluded from qualification to ASTM A588 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A588 Grades A or B	\$6.75
---	--------

ASTM A606

Hot-rolled high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance.

Type 2	\$9.50
Type 4	\$10.50

Widths other than 48", 60", and 72" may be subject to accumulation.

ASTM A786

Hot-rolled carbon steel floor plate, Pattern No. 4

ASTM A1011/A1018 Commercial Steel Type B	\$3.00
ASTM A1011/A1018 SS Grade 36 Type 2	\$4.00
ASTM A1011 SS Grade 50	\$4.00
ASTM A1011/A1018 HSLAS Grade 50 Class 2	\$5.00
ASTM A1011/A1018 HSLAS Grade 55 Class 2	\$5.50
For Conversion to ASTM A36	\$3.50
For Conversion to ASTM A572 Grade 50	\$5.00
For Conversion to ASTM A572 Grade 55	\$5.50
SAE J403 1010 Modified	\$3.00

Widths other than 48", 60", and 72" and grades other than CS-B require two heats minimum.

ASTM A871

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for use in tubular structures and poles. Coils are excluded from qualification to ASTM A871 until they are cut-to-length and processed into a structural product.

For Conversion to ASTM A871 Grade 65	\$11.50
--------------------------------------	---------

Available in Types 1 or 2.

STANDARD PROCESSING EXTRAS

PICKLING

	MILL EDGE	CUT EDGE
From .500 min – .250 min	\$2.50	\$3.00
Under .250 min – .066 min	\$2.00	\$2.50
Under .066 min – .056 min	\$2.25	\$2.75

TEMPER PASS

Under .120 min – .055 min	\$1.50
---------------------------	--------

Certain grade, thickness, and width combinations may not be available or may require external processing. Please refer to our product capabilities for more information.

SAE J403

Hot-rolled carbon steel

1006	Base
1008	Base
1010 Modified	Base
1015	\$0.50
1018	\$0.75
1020	\$0.75
1021	\$0.75
1022	\$0.75
1026	\$1.75
1035	\$2.25

Additional boron-intensified steels (xxBxx) available on an inquiry-by-inquiry basis.

SAE J1392

Hot-rolled, high-strength, low-alloy carbon steel sheet

	XLF	YLF	ZLF
035	\$0.75	Inquire	N/A
045	\$1.75	Inquire	N/A
050	\$2.25	Inquire	N/A
060	\$3.75	Inquire	N/A
070	\$5.00	N/A	N/A
080	\$6.50	N/A	N/A

SAE J2340

Hot-rolled, high-strength, low-alloy carbon steel sheet

	SF	XF	YF
300	\$2.75	\$2.25	Inquire
340	Inquire	\$2.75	Inquire
380	N/A	\$3.25	Inquire
420	N/A	\$4.25	Inquire
490	N/A	\$5.50	Inquire
550	N/A	\$7.00	N/A

ABRASION RESISTANT STEEL

Hot-rolled steel with improved abrasion resistance for use in moderate wear applications.

AR200	\$2.00
-------	--------

Additional material specifications suitable for conversion to certain ASTM and API Pipe & Tube specifications, as well as certain JIS, DIN, and manufacturer-specific standards available on an inquiry-by-inquiry basis.

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

700 PIW to 1200 PIW	Base
Under 700 PIW	\$1.00

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

MECHANICAL TESTING

Mechanical Properties	\$0.25
Charpy Impact Test	\$0.25

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item. Please note that certain grade, thickness, and width combinations may require a minimum order quantity of up to 450 tons to avoid accumulation.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

COLD-ROLLED SHEET

Steel Dynamics base cold-rolled steel sheet has been cold-reduced to the specified thickness and subsequently annealed and temper-rolled to achieve the specified characteristics. Alternately, customers may specify a full-hard cold-rolled sheet that ships directly off the tandem mill. SDI cold-rolled sheet is produced on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 72"
0.1020	0.0295	0.0980	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A109

Cold-rolled carbon steel strip	
No. 1 Temper (Full Hard)	Base
No. 3 Temper (Quarter Hard)	\$0.75

ASTM A1008

Cold-rolled carbon steel sheet	
--------------------------------	--

Mild Steels

Commercial Steel Types A, B, & C	Base
Drawing Steel Types A & B	\$0.50
Deep Drawing Steel	\$1.50
Extra Deep Drawing Steel	\$2.75

Structural Steels

SS Grade 25	\$0.50
SS Grade 30	\$0.50
SS Grade 33 Type 1	\$0.50
SS Grade 40 Type 1	\$0.75
SS Grade 80	\$0.50
SS Grade 90 Modified	Inquire

High-Strength Low-Alloy Steels

	Class 1	Class 2
HSLAS Grade 45	\$2.75	Inquire
HSLAS Grade 50	\$3.25	\$2.75
HSLAS Grade 55	\$3.75	\$3.25
HSLAS Grade 60	Inquire	\$4.00
HSLAS Grade 70	Inquire	\$5.50

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 50	\$3.25
HSLAS-F Grade 60	Inquire

ASTM A606

Cold-rolled, high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance	
---	--

Type 4 Modified	Inquire
-----------------	---------

Widths other than 48", 60", and 72" may be subject to accumulation.

SAE J403

Cold-rolled carbon steel sheet	
1006	Base
1008	Base
1010 Modified	Base
1018	\$0.75
1020	\$0.75
1021	\$0.75

SAE J1392

Cold-rolled, high-strength, low-alloy carbon steel sheet			
	XLF	YLF	ZLF
035	\$1.50	Inquire	Inquire
040	\$1.50	Inquire	Inquire
045	\$1.75	Inquire	Inquire
050	\$2.75	Inquire	Inquire

SAE J2329

Cold-rolled low-carbon steel sheet	
Grade 2 Type U	\$0.75

SAE J2340

Cold-rolled, high-strength, low-alloy carbon steel sheet		
SF	XF	YF
300	Inquire	\$3.00
340	Inquire	\$3.50
380	Inquire	\$4.00
420	Inquire	\$4.50
490	Inquire	\$6.00

Additional dent resistant grades available on an inquiry-by-inquiry basis.

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

COLD-ROLLED SHEET

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

GALVANIZED HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped galvanized product is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. Temper rolling may be specified to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is spangle-free and is provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 72"
0.1600	0.0690	0.1560	0.0660	\$3.00	\$1.50	Base
0.0690	0.0600	0.0660	0.0560	\$3.25	\$1.75	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Types A & B & C	Base
Forming Steel Types A & B	\$0.50
Structural Steels	
SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.00
SS Grade 50 – Class 2	\$0.75
SS Grade 50 – Class 3	\$1.00
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
High-Strength Low-Alloy Steels	
HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1 & 2	\$3.25
HSLAS Grade 60	\$3.75
HSLAS Grade 70	\$5.00
HSLAS Grade 80	\$6.50

High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55 – Class 1 & 2	\$3.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.75

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.50
NS Grade 40	\$0.50
NS Grade 57	\$1.75
ST Grade 33H	\$0.50
ST Grade 40H	\$0.50
ST Grade 50H	\$1.00
ST Grade 55H	\$1.25

SAE J1392

Hot-dipped galvanized, high-strength, low-alloy carbon steel sheet

040XL	\$1.50
045XL	\$1.75
050XL	\$2.25
060XL	\$3.75
070XL	\$5.00
080XL	\$6.50

SAE J403

Hot-dipped galvanized carbon steel sheet

1006	Base
1008	Base
1020	\$0.75

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Temper-Rolled	\$0.50

OTHER

U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100.

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
Less than 20,000#	Inquire

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

Columbus, MS

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized or galvannealed product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized and galvannealed steel sheet is spangle-free and is provided on a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 72"
0.0850	0.0295	0.0810	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet	
Mild Steels	
Commercial Steel Types A & B & C	Base
Forming Steel Types A & B	\$0.50
Deep Drawing Steel Types A & C	\$2.00
Extra Deep Drawing Steel	\$2.75
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
SS Grade 80 – Class 1	\$0.50
High-Strength Low-Alloy Steels	
HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1	\$3.25
HSLAS Grade 55 – Class 2	\$2.75
HSLAS Grade 60	\$3.75
HSLAS Grade 70	\$5.00
HSLAS Grade 80	\$6.50
High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55	\$3.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.75

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members	
NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 57	\$1.75
ST Grade 33H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25

SAE J1392

Hot-dipped galvanized, high-strength, low-alloy carbon steel sheet	
040XLF	\$1.50
045XLF	\$1.75
050XLF	\$2.25
060XLF	\$3.75
070XLF	\$5.00
080XLF	\$6.50

SAE J2340

Hot-dipped galvanized dent resistant, high-strength, and ultra high-carbon steel sheet	
340XF	\$2.75
380XF	\$3.25
420XF	\$4.25
490XF	\$5.50
550XF	\$7.00

SAE J403

Hot-dipped galvanized carbon steel sheet	
1006	Base
1008	Base
1020	\$0.75

SAE J2329

Hot-dipped galvanized low-carbon steel sheet	
Grade 3 Type U	\$1.75
Grade 4 Type U	\$3.00

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

GALVANIZED COLD-ROLLED SHEET

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

OTHER

Galvanneal	\$1.00
U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100, and only available on certain grades ordered as .030 minimum and heavier. Please refer to our product capabilities for more information.

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	Inquire
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

Columbus, MS

GALVALUME® SHEET

Steel Dynamics GALVALUME® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. This product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI GALVALUME® is produced with a regular spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 72"
0.0470	0.0295	0.0500	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A792

Hot-dipped 55% aluminum-zinc alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	Inquire
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Columbus, MS

ALUMINIZED TYPE 1 SHEET

Steel Dynamics Aluminized Type 1 product offers excellent corrosion protection in many applications through the combination of the aluminum/silicon coating. Based on this unique coating, the product also has outstanding heat resistance. Aluminized Type 1 is effective for applications up to 1250°F. This product may be specified as extra smooth in order to minimize the presence of cosmetic defects. Various surface treatments are available to further inhibit oxidation. SDI Aluminized Type 1 is produced with a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <45"	45" - 61.5"	>61.5" - 72"
0.1340	0.0620	0.1300	0.0600	\$2.50	Base	\$1.00
0.0620	0.0290	0.0600	0.0280	\$2.50	Base	\$2.00
0.0290	0.0230	0.0280	0.0220	\$3.00	\$2.50	\$3.50
0.0230	0.0200	0.0220	0.0190	\$5.50	\$5.00	Inquire
0.0200	0.0180	0.0190	0.0170	\$7.00	\$6.50	Inquire
0.0180	0.0170	0.0170	0.0160	Inquire	Inquire	Inquire
0.0170	0.0160	0.0160	0.0150	Inquire	Inquire	Inquire
0.0160	0.0150	0.0150	0.0140	Inquire	Inquire	Inquire
0.0150	0.0140	0.0140	0.0130	Inquire	Inquire	Inquire
0.0140	0.0130	0.0130	0.0120	Inquire	Inquire	Inquire

Aluminized Type 1 Cold Rolled

Minimum Thickness

Under	Thru	Under	Thru
0.096		0.0120	

Aluminized Type 1 Hot Rolled

Minimum Thickness

Under	Thru
Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A463

Hot-dipped, coated layer of aluminum/silicon alloy (5% to 11% silicon)

Mild Steels

Commercial Steel Type A, B or C	Base
Forming Steel	\$0.60
Deep Drawing Steel (DDS)	\$2.25
Extra Deep Drawing Steel (EDDS)	\$4.00
Drawing Quality - High Performance	Inquire

Structural Steels

Structural Steel Grade 33	\$0.75
Structural Steel Grade 37	\$0.85
Structural Steel Grade 40	\$1.15

High Strength Low Alloy Steels

High Strength Low Alloy Steel - Grade 50A	\$4.10
High Strength Low Alloy Steel - Grade 50B	\$4.35

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$1.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base

PLEASE REFERENCE THE ATTACHED COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	Inquire
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY


40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

HEARTLAND DIVISION

Terre Haute, Indiana



Heartland Division
455 West Industrial Drive
Terre Haute, Indiana 47802
(812) 299-4157

Heartland – Terre Haute, IN

HOT-ROLLED PICKLED

Steel Dynamics hot-rolled pickled sheet is provided on a 24" ID and can be ordered as oiled or dry. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" - <42"	42" - <48"	48" - 72"
0.2230	0.0840	0.2200	0.0810	\$4.00	\$2.00	Base
0.0840	0.0690	0.0810	0.0660	\$4.50	\$2.50	\$0.50
0.0690	0.0580	0.0660	0.0550	\$6.50	\$4.50	\$2.50
0.0580	0.0530	0.0550	0.0500	\$7.00	\$5.00	\$3.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A1011 & ASTM A1018

Hot-rolled carbon steel sheet

Mild Steels

Commercial Steel Type A, B, C & D	Base
Drawing Steel Type A	\$0.50
Drawing Steel Type B (Boron)	\$0.50
Drawing Steel Type B (Titanium)	\$0.75

Structural Steels

SS Grade 30	\$0.50
SS Grade 33	\$0.50
SS Grade 36 Type 1	\$0.50
SS Grade 36 Type 2	\$1.00
SS Grade 40	\$0.50
SS Grade 45	\$0.50
SS Grade 50	\$1.25
SS Grade 55	\$1.50
SS Grade 57 Modified for racking and purlin	\$1.75

High-Strength Low-Alloy Steels

	Class 1	Class 2
HSLAS Grade 45	Inquire	Inquire
HSLAS Grade 50	Inquire	Inquire
HSLAS Grade 55	Inquire	Inquire
HSLAS Grade 60	Inquire	Inquire
HSLAS Grade 65	Inquire	Inquire
HSLAS Grade 70	Inquire	Inquire

High-Strength Low-Alloy Steels with improved formability

HSLAS-F Grade 50	Inquire
HSLAS-F Grade 60	Inquire
HSLAS-F Grade 70	Inquire
HSLAS-F Grade 80	Inquire

SAE J403

Hot-rolled carbon steel

1005	Base
1006	Base
1008	Base
1010	\$0.50
1015	\$0.50
1017	\$0.50
1018	\$0.75
1020	\$0.75
1021	\$0.75
1022	\$0.75

Additional boron-intensified steels (xxBxx) available on an inquiry-by-inquiry basis.

STANDARD PROCESSING EXTRAS

PICKLING	MILL EDGE	CUT EDGE
Under .187 min – .066 min	\$2.00	\$2.50
Under .066 min – .039 min	\$2.25	\$2.75

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

700 PIW to 1200 PIW	Base
Under 700 PIW	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item. Please note that certain grade, thickness, and width combinations may require a minimum order quantity of up to 450 tons to avoid accumulation.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Heartland – Terre Haute, IN

COLD-ROLLED SHEET

Steel Dynamics base cold-rolled steel sheet has been cold-reduced to the specified thickness and subsequently annealed and temper-rolled to achieve the specified characteristics. Alternately, customers may specify a full-hard cold-rolled sheet with off-gauge heads and tails cropped at the temper mill. SDI's cold-rolled sheet is produced on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" – <42"	42" – <48"	48" – 72"
0.0620	0.0295	0.0600	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00
0.0130	0.0110	0.0120	0.0100	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A109

Cold-rolled carbon steel strip	
No. 1 Temper (Full Hard)	Base
No. 2 Temper (Half Hard)	Inquire
No. 3 Temper (Quarter Hard)	Inquire

ASTM A1008

Cold-rolled carbon steel sheet	
Mild Steels	

Commercial Steel Type B	Base
Drawing Steel Types A & B	\$0.50
Deep Drawing Steel	Inquire

Structural Steels

SS Grade 25	Inquire
SS Grade 30	Inquire
SS Grade 33 Type 1	Inquire
SS Grade 40 Type 1	Inquire
SS Grade 80	Inquire

SAE J403

Cold-rolled carbon steel sheet	
1006	Inquire
1008	Inquire
1015	Inquire
1017	Inquire
1018	Inquire
1020	Inquire
1021	Inquire

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

OTHER

ATBC Oil	\$2.00
Mechanical Properties	\$0.25

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Heartland – Terre Haute, IN

GALVANIZED HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped galvanized product is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is produced with a regular or minimum spangle and is provided on a 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness		Width		
Under	Thru	36" – <42"	42" – <48"	48" – 60"
0.1000	0.0660	\$3.00	\$1.50	Base
0.0660	0.0600	\$3.25	\$1.75	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
-------------------------	------

Structural Steels

SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
-----------------	------

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 45,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Heartland – Terre Haute, IN

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation and enhance formability. SDI galvanized steel sheet is provided on either a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	36" – <42"	42" – <48"	48" – <72"
0.0620	0.0295	0.0600	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00
0.0130	0.0110	0.0120	0.0100	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type A & B	Base
Forming Steel Type A & B	\$0.50
Forming Steel Modified	\$1.00
Deep Drawing Steel	\$2.00

Structural Steels

SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Clear Acrylic	\$1.50

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25
72" Width	\$1.00

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Heartland – Terre Haute, IN

GALVALUME® SHEET

Steel Dynamics GALVALUME® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. This product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI GALVALUME® is produced with a regular spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	38" - <42"	42" - <48"	48" - 66"
0.0600	0.0295	0.0600	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A792

Hot-dipped 55% aluminum-zinc alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation (RoHS-Compliant)	Base
Standard Passivation	Base
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY


40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

SOUTHWEST-SINTON DIVISION

Sinton, Texas



Southwest-Sinton Division

8534 Hwy 89
Sinton, TX 78387
(361) 424-6200

Sinton, TX

HOT-ROLLED BANDS

Steel Dynamics base hot-rolled steel sheet is an unprocessed band directly off the hot-strip mill and has not been side-trimmed or cropped back to gauge. As rolled, hot bands may be susceptible to coil breaks. Additional processing such as temper passing, pickling, edge trimming and tension leveling are available on site or via a qualified external processor. SDI hot-rolled bands are produced on a 30" ID. All processed hot-rolled steel sheet will be provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width			
Under	Thru	Under	Thru	40" - <48"	48" - 72"	>72" - 76"	>76" - 84"
1.008	0.756	1.000	0.750	Inquire	Inquire	Inquire	Inquire
0.756	0.084	0.750	0.081	\$2.00	Base	\$0.50	Inquire
0.084	0.069	0.081	0.066	\$2.50	\$0.50	\$1.50	Inquire
0.069	0.058	0.066	0.055	\$4.50	\$2.50	Inquire	Inquire
0.058	0.050	0.055	0.047	\$5.00	\$3.00	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A1011 & ASTM A1018

Hot-rolled carbon steel sheet

Mild Steels

Commercial Steel Types A & B	Base
Drawing Steel Types A & B	\$0.50

Structural Steels

SS Grade 30	\$0.50
SS Grade 33	\$0.50
SS Grade 36 Type 1	\$0.50
SS Grade 36 Type 2	\$1.00
SS Grade 40	\$0.50
SS Grade 45	\$0.50
SS Grade 50	\$1.25
SS Grade 55	\$1.50
SS Grade 57 Modified for racking and purlin	\$1.75

High-Strength Low-Alloy Steels

	Class 1	Class 2
HSLAS Grade 45	\$2.25	\$1.75
HSLAS Grade 50	\$2.75	\$2.25
HSLAS Grade 55	\$3.25	\$2.75
HSLAS Grade 60	\$4.25	\$3.75
HSLAS Grade 65	\$4.75	\$4.25
HSLAS Grade 70	\$5.50	\$5.00

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.50

Ultra-High-Strength Steels

UHSS Grade 90 Type 1	Inquire
UHSS Grade 100 Type 1	Inquire

ASTM A36

Hot-rolled carbon steel sheet used for general structural purposes. Coils are excluded from qualification to ASTM A36 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A36	\$0.50
----------------------------	--------

COPPER SPECIFIED (> .20%)

\$1.50

ASTM A283

Low and intermediate tensile strength carbon steel of structural quality for general application. Coils are excluded from qualification to ASTM A283 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A283 Grade C	\$0.50
-------------------------------------	--------

ASTM A285

Low and intermediate tensile strength carbon steel for pressure vessels. Coils are excluded from qualification to ASTM A285 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A285 Grade C	\$0.50
-------------------------------------	--------

ASTM A414

Hot-rolled high-strength, low-alloy carbon steel sheet for pressure vessels. Coils are excluded from qualification to ASTM A414 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A414 Grade C	Inquire
For Conversion to ASTM A414 Grade G	Inquire

ASTM A455

High tensile strength hot-rolled carbon-manganese steel for pressure vessels. Coils are excluded from qualification to ASTM A455 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A455 Grade G	Inquire
-------------------------------------	---------

ASTM A516

Hot-rolled carbon steel intended for service in pressure vessels for moderate- to lower-temperature service. Coils are excluded from qualification to ASTM A516 until they are cut-to-length. Processor is responsible for testing and certifying tensile from center of coil.

For Conversion to ASTM A516 Grade 70	Inquire
--------------------------------------	---------

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

HOT-ROLLED BANDS

ASTM A572

Hot-rolled high-strength, low-alloy columbium-vanadium carbon steel intended for riveted, bolted, or welded structures. Coils are excluded from qualification to ASTM A572 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A572 Grade 50	\$2.25
For Conversion to ASTM A572 Grade 55	\$2.75
For Conversion to ASTM A572 Grade 60	\$3.75
For Conversion to ASTM A572 Grade 65	\$4.25

Available in Types 1, 2, or 3 for most thickness and width combinations.

ASTM A588

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for riveted, bolted, or welded structure. Coils are excluded from qualification to ASTM A588 until they are cut-to-length and processed into a finished structural product.

For Conversion to ASTM A588 Grades A or B	\$6.75
---	--------

ASTM A606

Hot-rolled high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance.

Type 4	\$10.50
--------	---------

Widths other than 48", 60", and 72" may be subject to accumulation.

ASTM A786

Hot-rolled carbon steel floor plate, Pattern No. 4

ASTM A1011/A1018 Commercial Steel Type B	\$3.00
ASTM A1011/A1018 SS Grade 36 Type 2	\$4.00
ASTM A1011/A1018 HSLAS Grade 50 Class 1	\$5.00
For Conversion to ASTM A36	\$3.50
For Conversion to ASTM A572 Grade 50	\$5.00
SAE J403 1010 Modified	\$3.00

Available in Types 1, 2, or 3 for most thickness and width combinations. Widths other than 48", 60", 72", and 84" may be subject to accumulation.

ASTM A871

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for use in tubular structures and poles. Coils are excluded from qualification to ASTM A871 until they are cut-to-length and processed into a structural product.

For Conversion to ASTM A871 Grade 65	\$11.50
--------------------------------------	---------

Available in Types 1 or 2.

SAE J403

Hot-rolled carbon steel

1006	Base
1008	Base
1010 Modified	Base
1018	\$0.75
1020	\$0.75
1021	\$0.75
1022	\$0.75
1026	\$1.75

SAE J1392

Hot-rolled high-strength, low-alloy carbon steel sheet

	XLF	YLF	ZLF
035	\$0.75	Inquire	Inquire
045	\$1.75	Inquire	Inquire
050	\$2.25	Inquire	Inquire
060	\$3.75	Inquire	Inquire

SAE J2340

Hot-rolled high-strength, low-alloy carbon steel sheet

	SF	XF	YF
300	Inquire	\$2.25	Inquire
340	Inquire	\$2.75	Inquire
380	N/A	\$3.25	Inquire
420	N/A	Inquire	Inquire

STANDARD PROCESSING EXTRAS

PICKLING

	MILL EDGE	CUT EDGE
Under .250 min – .066 min	\$2.00	\$2.50
Under .066 min – .056 min	\$2.25	\$2.75

78" maximum width.

TEMPER PASS

Under .158 min – .047 min	Inquire
---------------------------	---------

Certain grade, thickness, and width combinations may not be available or may require external processing. Please refer to our product capabilities for more information.

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

700 PIW to 1300 PIW	Base
Under 700 PIW	\$1.00

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

MECHANICAL TESTING

Mechanical Properties	\$0.25
Charpy Impact Test	\$0.25

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item. Please note that certain grade, thickness, and width combinations may require a minimum order quantity of up to 400 tons to avoid accumulation.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

PLATE

Steel Dynamics coiled strip mill plate is a band produced on the hot mill and converted to finished plates by stretcher leveling and cut-to-length processes, which are performed on-site by a qualified processing partner. Our plate products are produced to a specified nominal thickness and are sold based on theoretical nominal weight according to the following calculation: Nominal thickness x Width x Length x .2836.

TYPICAL PLATE SIZES (additional dimensions are available):

Nominal Gauge	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"
Width	48", 60", 72", 84"
Length	240" through 650"

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A36

Hot-rolled carbon steel used for general structural purposes.

ASTM A36	Base*
----------	-------

* Grade extra included in base price.

COPPER SPECIFIED (> .20%)

\$1.50

ASTM A283

Low and intermediate tensile strength carbon steel of structural quality for general application.

ASTM A283 Grade C	\$0.50
-------------------	--------

ASTM A285

Low and intermediate tensile strength carbon steel for pressure vessels.

ASTM A285 Grade C	\$0.50
-------------------	--------

ASTM A414

Hot-rolled high-strength, low-alloy carbon steel for pressure vessels.

ASTM A414 Grade C	Inquire
ASTM A414 Grade G	Inquire

ASTM A455

High tensile strength hot-rolled carbon-manganese steel for pressure vessels.

ASTM A455 Grade G	Inquire
-------------------	---------

ASTM A516

Hot-rolled carbon steel intended for service in pressure vessels for moderate-to-lower-temperature service.

ASTM A516 Grade 70	Inquire
--------------------	---------

ASTM A572

Hot-rolled high-strength, low-alloy columbium-vanadium carbon steel intended for riveted, bolted, or welded structures.

ASTM A572 Grade 50	\$2.25
ASTM A572 Grade 55	\$2.75
ASTM A572 Grade 60	\$3.75
ASTM A572 Grade 65	\$4.25

Available in Types 1, 2, or 3 for most thickness and width combinations.

ASTM A588

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for riveted, bolted, or welded structure.

ASTM A588 Grades A or B	\$6.75
-------------------------	--------

ASTM A656

Hot-rolled high-strength, low-alloy steel with improved formability.

Grade 50	\$2.50
Grade 60	\$4.00
Grade 70	\$5.25
Grade 80	\$6.50
Grade 100	Inquire

Available in Types 3 or 7.

ASTM A709 – AASHTO M270

Hot-rolled carbon steel and high-strength low-alloy steel used as structural plates.

Grade 36	\$0.50
Grade 50	\$1.25
Grade 50 Type 2	\$2.25
Grade 50 W	Inquire

ASTM A786

Hot-rolled carbon steel floor plate, pattern number 4.

ASTM A36	\$3.50
ASTM A572 Grade 50	\$5.00

Available in Types 1, 2, or 3 for most thickness and width combinations. Widths other than 48", 60", 72", and 84" may be subject to accumulation.

ASTM A871

Hot-rolled high-strength, low-alloy carbon steel with improved atmospheric corrosion resistance intended for use in tubular structures and poles.

ASTM A871 Grade 65	\$11.50
--------------------	---------

Available in Types 1 or 2.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on theoretical pounds per plate. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

PLATE

STANDARD PROCESSING EXTRAS

PICKLING	MILL EDGE	CUT EDGE
3/16" and 1/4"	\$2.00	\$2.50

78" maximum width mill edge.

LIFT WEIGHTS

≥ 10 Tons	Base
< 10 Tons	\$1.00

EDGE CONDITION

Cut Edge	\$3.00
Mill Edge	Base

LENGTH

< 96"	\$1.00
96" to 480"	Base
> 480"	\$1.00

GENERAL EXTRAS

MINIMUM LINE ITEM QUANTITY

≥ 20 tons	Base
10 to < 20 tons	\$1.00
Exact Piece Count	Inquire

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item. Please note that certain grade, thickness, and width combinations may require a minimum order quantity of up to 400 tons to avoid accumulation.

MECHANICAL TESTING

Mechanical Properties	\$0.25
Charpy Impact Test	\$0.25

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on theoretical pounds per plate. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

COLD-ROLLED SHEET

Steel Dynamics base cold-rolled steel sheet has been cold-reduced to the specified thickness and subsequently annealed and temper-rolled to achieve the specified characteristics. Alternately, customers may specify a full-hard cold-rolled sheet that ships directly off the tandem mill. SDI cold-rolled sheet is produced on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width		
Under	Thru	Under	Thru	38" - <42"	42" - <48"	48" - 76"
0.1020	0.0295	0.1000	0.0280	\$3.00	\$1.50	Base
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00
0.0130	0.0110	0.0120	0.0100	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A109

Cold-rolled carbon steel strip	
No. 1 Temper (Full Hard)	Base

SAE J403

Cold-rolled carbon steel sheet		
1006		Base
1008		Base
1010 Modified		Base
1018		\$0.75
1020		\$0.75
1021		\$0.75

SAE J1392

Cold-rolled, high-strength, low-alloy carbon steel sheet			
	XLF	YLF	ZLF
035	\$1.50	Inquire	Inquire
040	\$1.50	Inquire	Inquire
045	\$1.75	Inquire	Inquire
050	\$2.75	Inquire	Inquire

SAE J2340

Cold-rolled, high-strength, low-alloy carbon steel sheet			
	SF	XF	YF
300	Inquire	\$3.00	Inquire
340	Inquire	\$3.50	Inquire
380	Inquire	Inquire	Inquire
420	Inquire	Inquire	Inquire
490	Inquire	Inquire	Inquire

Additional dent resistant grades available on an inquiry-by-inquiry basis.

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

ASTM A606	
Cold-rolled, high-strength, low-alloy carbon steel sheet with improved atmospheric corrosion resistance	
Type 4 Modified	Inquire

Widths other than 48", 60", and 72" may be subject to accumulation.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

Sinton, TX

COLD-ROLLED SHEET

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 105,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

MECHANICAL TESTING

Mechanical Properties	\$0.25
-----------------------	--------

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped galvanized product is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. Temper rolling may be specified to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is spangle-free and is provided on a 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width			
Under	Thru	Under	Thru	38" - <42"	42" - <48"	48" - <72"	72" - 76"
0.160	0.069	0.155	0.066	\$3.00	\$1.50	Base	Inquire
0.069	0.055	0.066	0.052	\$3.25	\$1.75	Base	Inquire
0.055	0.050	0.052	0.047	\$3.50	\$2.00	Base	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Types A & B	Base
Forming Steel Types A & B	\$0.50
Structural Steels	
SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.00
SS Grade 50 – Class 2	\$0.75
SS Grade 50 – Class 3	\$1.00
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75

High-Strength Low-Alloy Steels

HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1 & 2	\$3.25
HSLAS Grade 60	\$3.75
HSLAS Grade 70	\$5.00
HSLAS Grade 80	\$6.50

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55 – Class 1 & 2	\$3.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.75

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Temper-Rolled	\$0.50

OTHER

U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100.

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
Less than 20,000#	Inquire

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Clear Acrylic	\$1.50

Please reference the attached metallic coating extras.

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is spangle-free and is provided on a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width			
Under	Thru	Under	Thru	38" - <42"	42" - <48"	48" - <72"	72" - 76"
0.1000	0.0295	0.0960	0.0280	\$3.00	\$1.50	Base	Inquire
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50	Inquire
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00	Inquire
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50	Inquire
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00	Inquire
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00	Inquire
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50	Inquire
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00	Inquire
0.0130	0.0110	0.0120	0.0100	Inquire	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Types A & B & C	Base
Forming Steel Types A & B	\$0.50
Deep Drawing Steel Types A & C	\$2.00
Extra Deep Drawing Steel	\$2.75

Structural Steels

SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
SS Grade 80 – Class 1	\$0.50

High-Strength Low-Alloy Steels

HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1	\$3.25
HSLAS Grade 55 – Class 2	\$2.75
HSLAS Grade 60	\$3.75
HSLAS Grade 70	\$5.00
HSLAS Grade 80	\$6.50

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55	\$3.50
HSLAS-F Grade 60	\$4.00
HSLAS-F Grade 70	\$5.25
HSLAS-F Grade 80	\$6.75

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 57	\$1.75
ST Grade 33H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25

SAE J1392

Hot-dipped galvanized, high-strength, low-alloy carbon steel sheet

040XLF	\$1.50
045XLF	\$1.75
050XLF	\$2.25
060XLF	\$3.75
070XLF	\$5.00
080XLF	\$6.50

SAE J2340

Hot-dipped galvanized dent resistant, high-strength, and ultra high-carbon steel sheet

340XF	\$2.75
380XF	\$3.25
420XF	\$4.25
490XF	\$5.50
550XF	\$7.00

SAE J403

Hot-dipped galvanized carbon steel sheet

1006	Base
1008	Base
1020	\$0.75

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Spangle-Free	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 50,000#	Base
15,000# to less than 20,000#	Inquire
Less than 15,000#	Inquire

OTHER

U.L. Certification	\$0.25
Mill Edge	(\$0.50)

Mill edge required on coating weights greater than G-100, and only available on certain grades ordered as .030 minimum and heavier. Please refer to our product capabilities for more information.

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

GALVALUME® SHEET

Steel Dynamics GALVALUME® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. This product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI GALVALUME® is produced with a regular spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum or nominal thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Nominal Thickness		Minimum Thickness		Width			
Under	Thru	Under	Thru	38" - <42"	42" - <48"	48" - <72"	72" - 76"
0.0470	0.0295	0.0455	0.0280	\$3.00	\$1.50	Base	Inquire
0.0295	0.0235	0.0280	0.0220	\$4.50	\$3.00	\$1.50	Inquire
0.0235	0.0205	0.0220	0.0190	\$7.00	\$5.50	\$4.00	Inquire
0.0205	0.0180	0.0190	0.0170	\$8.50	\$7.00	\$5.50	Inquire
0.0180	0.0160	0.0170	0.0150	\$10.00	\$8.50	\$7.00	Inquire
0.0160	0.0150	0.0150	0.0140	\$11.00	\$9.50	\$8.00	Inquire
0.0150	0.0140	0.0140	0.0130	\$11.50	\$10.00	\$8.50	Inquire
0.0140	0.0130	0.0130	0.0120	\$12.00	\$10.50	\$9.00	Inquire
0.0130	0.0110	0.0120	0.0100	Inquire	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A792

Hot-dipped 55% aluminum-zinc alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type A	\$0.50
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation (RoHS-Compliant)	Base
Standard Passivation	Base
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT


20,000# to 50,000#	Base
15,000# to less than 20,000#	\$1.00
Less than 15,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00


Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.



THE TECHS DIVISION

MetalTech | GalvTech | NexTech
Pittsburgh, Pennsylvania



MetalTech
2400 Second Avenue
Pittsburgh, PA 15219
(877) 664-4258

GalvTech
300 Mifflin Road
Pittsburgh, PA 15207
(877) 664-4258

NexTech
300 Braddock Avenue
Turtle Creek, PA 15145
(877) 664-4258

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is produced with a regular or minimum spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness	
Under	Thru
0.0460	0.0280
0.0280	0.0220
0.0220	0.0190
0.0190	0.0170
0.0170	0.0150
0.0150	0.0140
0.0140	0.0130
0.0130	0.0120

Width			
24" – <36"	36" – <42"	42" – <48"	48" – 61.5"
\$4.50	\$3.00	\$1.50	Base
\$6.00	\$4.50	\$3.00	\$1.50
\$8.50	\$7.00	\$5.50	\$4.00
\$10.00	\$8.50	\$7.00	\$5.50
\$11.50	\$10.00	\$8.50	\$7.00
\$12.50	\$11.00	\$9.50	\$8.00
\$13.00	\$11.50	\$10.00	\$8.50
\$13.50	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels	
Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Deep Drawing Steel Type A	\$2.00
Extra Deep Drawing Steel	\$2.75
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
SS Grade 80 – Class 1	\$0.50
High-Strength Low-Alloy Steels	
HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1	\$3.25
HSLAS Grade 55 – Class 2	\$2.75
HSLAS Grade 60	\$3.75
High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55 – Class 1	\$3.50
HSLAS-F Grade 55 – Class 2	\$3.00
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 50	\$1.75
NS Grade 57	\$0.75
ST Grade 33H	\$0.25
ST Grade 37H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25
ST Grade 80L	\$0.50

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Surface	Base
Extra Smooth	\$0.50

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Paintable Pretreatment	\$0.50
Clear Acrylic	Inquire
RoHS-Compliant Acrylic	Inquire

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 60,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALFAN® COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped Galfan® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI Galfan® steel sheet is produced with a regular bright surface and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness	
Under	Thru
0.0460	0.0280
0.0280	0.0220
0.0220	0.0190
0.0190	0.0170
0.0170	0.0150
0.0150	0.0140
0.0140	0.0130
0.0130	0.0120

Width			
24" – <36"	36" – <42"	42" – <48"	48" – 61.5"
\$4.50	\$3.00	\$1.50	Base
\$6.00	\$4.50	\$3.00	\$1.50
\$8.50	\$7.00	\$5.50	\$4.00
\$10.00	\$8.50	\$7.00	\$5.50
\$11.50	\$10.00	\$8.50	\$7.00
\$12.50	\$11.00	\$9.50	\$8.00
\$13.00	\$11.50	\$10.00	\$8.50
\$13.50	\$12.00	\$10.50	\$9.00

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A875

Hot-dipped zinc-5% aluminum alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Deep Drawing Steel Type A	\$2.00
Extra Deep Drawing Steel	\$2.75
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 55	\$1.25
SS Grade 57	\$1.75
SS Grade 80 – Class 1	\$0.50
High-Strength Low-Alloy Steels	
HSLAS Grade 50	\$2.25
HSLAS Grade 60	\$3.75
High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 50	\$1.75
NS Grade 57	\$1.75
ST Grade 33H	\$0.25
ST Grade 37H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25
ST Grade 80L	\$0.50

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped galvanized product is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is produced with a regular or minimum spangle and is provided on a 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness	
Under	Thru
0.1600	0.0660
0.0660	0.0520
0.0520	0.0430

Width			
24" – <36"	36" – <42"	42" – <48"	48" – 52"
\$4.50	\$3.00	\$1.50	Base
N/A	\$3.25	\$1.75	Base
N/A	\$3.50	\$2.00	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Structural Steels	
SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.00
SS Grade 50 – Class 2	\$0.75
SS Grade 50 – Class 3	\$1.00
SS Grade 50 – Class 4	\$0.75
SS Grade 55	\$1.25
SS Grade 57 – Modified for racking and purlin	\$1.75
High-Strength Low-Alloy Steels	
HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1	\$3.25
HSLAS Grade 55 – Class 2	\$2.75
HSLAS Grade 60	\$3.75

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55 – Class 1	\$3.50
HSLAS-F Grade 55 – Class 2	\$3.00
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.50
NS Grade 40	\$0.50
NS Grade 50	\$1.00
NS Grade 57	\$1.50
ST Grade 33H	\$0.50
ST Grade 37H	\$0.50
ST Grade 40H	\$0.50
ST Grade 50H	\$1.00
ST Grade 55H	\$1.25

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
-----------------	------

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 45,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped galvanized product is suitable for a broad range of applications. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is produced with a regular or minimum spangle and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Minimum Thickness		Width			
Under	Thru	24" – <36"	36" – <42"	42" – <48"	48" – 52"
0.1200	0.0280	\$4.50	\$3.00	\$1.50	Base

Additional sizes may be available on an inquiry-by-inquiry basis.

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Deep Drawing Steel Type A	\$2.00
Extra Deep Drawing Steel	\$2.75

Structural Steels

SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 50 – Class 4	\$1.00
SS Grade 55	\$1.25
SS Grade 80 – Class 1	\$0.50

High-Strength Low-Alloy Steels

HSLAS Grade 40	\$1.50
HSLAS Grade 50	\$2.25
HSLAS Grade 55 – Class 1	\$3.25
HSLAS Grade 55 – Class 2	\$2.75
HSLAS Grade 60	\$3.75

High-Strength Low-Alloy Steels with Improved Formability

HSLAS-F Grade 40	\$1.75
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 55 – Class 1	\$3.50
HSLAS-F Grade 55 – Class 2	\$3.00
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 50	\$1.75
NS Grade 57	\$1.75
ST Grade 33H	\$0.25
ST Grade 37H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25
ST Grade 80L	\$0.50

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
-----------------	------

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 45,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALFAN® HOT-ROLLED SHEET

Steel Dynamics base hot-rolled, hot-dipped Galfan® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. SDI Galfan® steel sheet is a cost-effective solution for heavy-gauge, unexposed applications where mild surface defects such as coil breaks are not objectionable. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI Galfan® steel sheet is produced with a regular bright surface and is provided on a 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness	
Under	Thru
0.1600	0.0660
0.0660	0.0520
0.0520	0.0430

Width			
24" – <36"	36" – <42"	42" – <48"	48" – 52"
\$4.50	\$3.00	\$1.50	Base
N/A	\$3.25	\$1.75	Base
N/A	\$3.50	\$2.00	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A875

Hot-dipped zinc-5% aluminum alloy-coated carbon steel sheet

Mild Steels	
Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Structural Steels	
SS Grade 33	\$0.50
SS Grade 37	\$0.50
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.00
SS Grade 50 – Class 2	\$0.75
SS Grade 50 – Class 3	\$1.00
SS Grade 55	\$1.25
SS Grade 57	\$1.75
High-Strength Low-Alloy Steels	
HSLAS Grade 50	\$2.25
HSLAS Grade 60	\$3.75
High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.50
NS Grade 40	\$0.50
NS Grade 50	\$1.00
NS Grade 57	\$1.50
ST Grade 33H	\$0.50
ST Grade 37H	\$0.50
ST Grade 40H	\$0.50
ST Grade 50H	\$1.00
ST Grade 55H	\$1.25

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Bright Surface	Base
------------------------	------

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 45,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALFAN® COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, hot-dipped Galfan® product offers excellent corrosion protection in many applications through the combination of the sacrificial protection of conventional zinc coatings with the excellent barrier protection of aluminum. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI Galfan® steel sheet is produced with a regular bright surface and is provided on either a 20" or 24" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness	
Under	Thru
0.1200	0.0280

Width			
24" – <36"	36" – <42"	42" – <48"	48" – 52"
\$4.50	\$3.00	\$1.50	Base

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A875

Hot-dipped zinc-5% aluminum alloy-coated carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Deep Drawing Steel Type A	\$2.00
Extra Deep Drawing Steel	\$2.75
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 3	\$1.75
SS Grade 55	\$1.25
SS Grade 80 – Class 1	\$0.50
High-Strength Low-Alloy Steels	
HSLAS Grade 50	\$2.25
HSLAS Grade 60	\$3.75
High-Strength Low-Alloy Steels with Improved Formability	
HSLAS-F Grade 50	\$2.50
HSLAS-F Grade 60	\$4.00

ASTM A1003

Hot-dipped galvanized carbon steel sheet for cold-forming framing members

NS Grade 33	\$0.25
NS Grade 40	\$0.50
NS Grade 50	\$1.75
NS Grade 57	\$1.75
ST Grade 33H	\$0.25
ST Grade 37H	\$0.25
ST Grade 40H	\$0.50
ST Grade 50H	\$1.75
ST Grade 55H	\$1.25
ST Grade 80L	\$0.50

ADDITIONAL JIS, DIN, AND MANUFACTURER-SPECIFIC STANDARDS AVAILABLE ON AN INQUIRY-BY-INQUIRY BASIS.

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Bright Surface	Base
------------------------	------

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 45,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.

GALVANIZED COLD-ROLLED SHEET

Steel Dynamics base cold-rolled, ultra-light gauge, hot-dipped galvanized product is suitable for a broad range of applications. While generally well-suited to surface-critical applications, this product may be specified as extra smooth in order to minimize the presence of cosmetic defects. A variety of surface treatments is available to further inhibit oxidation or to improve formability. SDI galvanized steel sheet is produced with a regular or minimum spangle and is provided on a 20" ID. Our products are produced to a specified minimum thickness and are sold on an actual scale-weight basis.

STANDARD THICKNESS AND WIDTH EXTRAS

Please note that certain grade, thickness, and width combinations may not be available. Please refer to our product capabilities for more information.

Additional sizes may be available on an inquiry-by-inquiry basis.

Minimum Thickness		Width		
Under	Thru	28" – <36"	36" – <42"	42" – 43.5"
0.0220	0.0190	\$8.50	\$7.00	\$5.50
0.0190	0.0170	\$10.00	\$8.50	\$7.00
0.0170	0.0150	\$11.50	\$10.00	\$8.50
0.0150	0.0140	\$12.50	\$11.00	\$9.50
0.0140	0.0130	\$13.00	\$11.50	\$10.00
0.0130	0.0120	\$13.50	\$12.00	\$10.50
0.0120	0.0070	Inquire	Inquire	Inquire

STANDARD CHEMISTRY AND GRADE EXTRAS

ASTM A653

Hot-dipped galvanized carbon steel sheet

Mild Steels

Commercial Steel Type B	Base
Forming Steel Type B	\$0.50
Deep Drawing Steel Type A	\$2.00
Structural Steels	
SS Grade 33	\$0.25
SS Grade 37	\$0.25
SS Grade 40	\$0.50
SS Grade 50 – Class 1	\$1.75
SS Grade 50 – Class 2	\$1.00
SS Grade 50 – Class 4	\$1.00
SS Grade 80 – Class 1	\$0.50

GENERAL EXTRAS

MAXIMUM COIL WEIGHT

20,000# to 43,000#	Base
15,000# to less than 20,000#	\$1.00
10,000# to less than 15,000#	\$1.50
Less than 10,000#	Inquire

STANDARD PROCESSING EXTRAS

SURFACE FINISH

Regular Spangle	Base
Extra Smooth	\$0.50

SURFACE TREATMENT

Rust-Preventative Oil	Base
Standard Passivation	Base
RoHS-Compliant Passivation	\$0.50
Paintable Pretreatment	\$0.50
Clear Acrylic	\$1.50
RoHS-Compliant Acrylic	\$2.00
Tinted Acrylic	\$2.50

OTHER

Test Reports	\$0.25
U.L. Certification	\$0.25

PLEASE REFERENCE THE ATTACHED METALLIC COATING EXTRAS

MINIMUM LINE ITEM QUANTITY

40 tons or more	Base
Less than 40 tons	\$1.00

Line item is defined as same grade, thickness, and width, with one delivery date for the entire line item.

All offers expire after 24 hours, unless otherwise noted, and are subject to availability. All material is expected to ship within five business days from notification of availability. All truck pre-paid shipments will be invoiced at 40,000-pound minimum quantities. All prices are per hundred-weight and are based on actual scale-weight billing. Our products are sold FOB seller's place of business, or a seller-designated storage or outside processing facility.



METALLIC COATING EXTRAS

METALLIC COATING EXTRAS

Effective January 5, 2026

STANDARD METALLIC COATING EXTRAS

Nominal		Minimum		G30(U) Z90	A40/G40(U) ZF120/Z120	A60/G60(U) ZF180/Z180	G90(U) Z275	G100 Z305	G115 Z350	G140 Z450	G165 Z500	G185 Z550	G210 Z600	G235 Z700
Under	Thru	Under	Thru											
0.1630	0.1330	0.1600	0.1300	\$1.20	\$1.30	\$1.80	\$2.50	\$3.05	\$3.25	\$4.10	\$4.85	\$5.55	\$5.70	\$7.15
0.1330	0.1030	0.1300	0.1000	\$1.80	\$2.00	\$2.55	\$3.40	\$3.85	\$4.15	\$5.15	\$6.25	\$7.20	\$7.50	\$9.10
0.1030	0.0870	0.1000	0.0840	\$2.05	\$2.10	\$2.60	\$4.00	\$4.25	\$4.70	\$5.70	\$6.70	\$8.00	\$8.25	\$9.90
0.0870	0.0730	0.0840	0.0700	\$2.10	\$2.20	\$3.55	\$5.10	\$5.25	\$5.50	\$6.95	\$8.80	\$9.50	\$11.05	\$11.90
0.0730	0.0560	0.0700	0.0540	\$2.65	\$2.90	\$4.55	\$6.40	\$6.85	\$7.15	\$8.90	\$11.55	\$12.20	\$13.75	\$15.25
0.0560	0.0460	0.0540	0.0440	\$3.25	\$3.40	\$4.65	\$6.75	\$7.50	\$9.00	\$10.90	\$12.30	\$14.75	\$15.65	\$18.75
0.0460	0.0380	0.0440	0.0360	\$3.70	\$3.75	\$5.50	\$8.05	\$9.10	\$10.55	\$13.25	\$14.60	\$17.55	\$18.55	\$22.65
0.0380	0.0340	0.0360	0.0320	\$4.10	\$4.25	\$6.25	\$9.10	\$10.05	\$11.75	\$14.60	\$16.15	\$19.90	\$20.75	\$25.40
0.0340	0.0300	0.0320	0.0280	\$4.40	\$4.65	\$6.35	\$9.25	\$10.45	\$13.25	\$16.20	\$18.70	\$22.40	\$23.75	\$28.55
0.0300	0.0265	0.0280	0.0250	\$4.85	\$5.10	\$7.20	\$10.70	\$11.75	\$14.75					
0.0265	0.0235	0.0250	0.0220	\$5.25	\$5.50	\$8.05	\$11.90	\$13.05	\$17.00					
0.0235	0.0215	0.0220	0.0200	\$6.40	\$6.75	\$9.25	\$14.05	\$15.75	\$17.95					
0.0215	0.0195	0.0200	0.0180	\$6.75	\$7.15	\$10.30	\$15.55	\$17.05	\$19.55					
0.0195	0.0170	0.0180	0.0160	\$7.25	\$7.60	\$11.50	\$16.60	\$19.05						
0.0170	0.0160	0.0160	0.0150	\$7.75	\$8.25	\$11.75	\$17.55	\$20.70						
0.0160	0.0150	0.0150	0.0140	\$9.25	\$9.75	\$14.05	\$20.35	\$23.25						
0.0150	0.0140	0.0140	0.0130	\$9.75	\$10.25	\$14.45	\$22.10							
0.0140	0.0130	0.0130	0.0120	\$10.55	\$11.15	\$15.45	\$23.35							

Please refer to our product capabilities for detailed information regarding the purchase of coating weights greater than G-100.

ASTM A653 Table 1 – Total coating mass both sides in oz/ft² and grams/m²

METRIC METALLIC COATING EXTRAS

Nominal		Minimum		40A/40A 40G/40G	45A/45A 45G/45G	50A/50A 50G/50G	60G/60G	70G/70G	90G/90G	98G/98G
Under	Thru	Under	Thru							
0.1630	0.1330	0.1600	0.1300	\$1.55	\$1.55	\$1.55	\$1.55	\$2.05	\$2.20	\$2.50
0.1330	0.1030	0.1300	0.1000	\$2.05	\$2.05	\$2.05	\$2.05	\$2.55	\$2.90	\$3.15
0.1030	0.0870	0.1000	0.0840	\$2.20	\$2.20	\$2.20	\$2.20	\$2.65	\$3.35	\$3.50
0.0870	0.0730	0.0840	0.0700	\$2.60	\$2.60	\$2.60	\$2.60	\$3.40	\$4.25	\$4.35
0.0730	0.0560	0.0700	0.0540	\$3.50	\$3.50	\$3.50	\$3.50	\$4.25	\$4.75	\$5.15
0.0560	0.0460	0.0540	0.0440	\$4.25	\$4.25	\$4.25	\$4.25	\$4.75	\$5.55	\$5.75
0.0460	0.0380	0.0440	0.0360	\$5.15	\$5.15	\$5.15	\$5.15	\$5.70	\$6.85	\$7.00
0.0380	0.0340	0.0360	0.0320	\$5.55	\$5.55	\$5.55	\$5.55	\$6.10	\$7.55	\$8.00
0.0340	0.0300	0.0320	0.0280	\$6.05	\$6.05	\$6.05	\$6.05	\$6.90	\$8.35	\$8.75
0.0300	0.0265	0.0280	0.0250	\$6.85	\$6.85	\$6.85	\$6.85	\$8.25	\$9.45	\$9.80
0.0265	0.0235	0.0250	0.0220	\$7.70	\$7.70	\$7.70	\$7.70	\$9.00	\$10.80	\$11.25
0.0235	0.0215	0.0220	0.0200	\$8.35	\$8.35	\$8.35	\$8.35	\$9.70	\$11.75	\$12.20
0.0215	0.0195	0.0200	0.0180	\$9.15	\$9.15	\$9.15	\$9.15	\$10.80	\$12.65	\$13.30
0.0195	0.0170	0.0180	0.0160	\$10.55	\$10.55	\$10.55	\$10.55	\$11.75	\$14.65	\$15.25
0.0170	0.0160	0.0160	0.0150	\$11.25	\$11.25	\$11.25	\$11.25	\$12.60	\$16.10	\$16.95
0.0160	0.0150	0.0150	0.0140	\$12.10	\$12.10	\$12.10	\$12.10	\$13.45	\$17.30	\$17.85
0.0150	0.0140	0.0140	0.0130	\$12.65	\$12.65	\$12.65	\$12.65	\$14.75	\$18.25	\$19.25
0.0140	0.0130	0.0130	0.0120	\$13.80	\$13.80	\$13.80	\$13.80	\$15.60	\$19.55	\$20.55

ASTM A653 Table S2.1 – Minimum coating mass per side in grams/m²

GALVALUME® COATING EXTRAS

AZ35	AZ50	AZ55	AZ60
Inquire	7.20	8.00	8.55
6.60	7.65	8.40	9.20
6.80	8.05	8.75	9.65
7.75	9.00	9.95	10.95
8.75	10.25	11.30	12.25
9.85	11.55	12.70	13.85
11.05	12.95	14.20	15.50
12.15	14.25	15.70	17.15
13.55	15.95	17.55	19.15
14.85	17.55	19.25	21.00
16.40	19.30	21.35	23.20
18.25	21.40	23.55	25.70
20.65	24.20	26.75	29.15

Coating weights less than AZ50 are marketed as ASTM A 792 55% Aluminum-Zinc Alloy-Coated Sheet rather than GALVALUME®.

METALLIC COATING EXTRAS

Effective January 5, 2026

GALFAN® METALLIC COATING EXTRAS

Minimum									
Under	Thru	GF15 ZA45	GF20 ZA60	GF30 ZA90	GF45 ZA135	GF60 ZA180	GF75 ZA225	GF90 ZA270	GF115 ZA345
0.1600	0.1300			\$1.65	\$2.30	\$2.90	\$3.35	\$3.45	\$5.10
0.1300	0.1000			\$2.00	\$2.60	\$3.45	\$3.75	\$4.10	\$5.75
0.1000	0.0840			\$2.10	\$3.10	\$3.75	\$4.40	\$4.95	\$6.55
0.0840	0.0700			\$2.90	\$3.75	\$4.70	\$5.45	\$5.75	\$7.55
0.0700	0.0540	\$1.70	\$2.00	\$3.25	\$4.40	\$6.00	\$6.55	\$7.10	\$10.45
0.0540	0.0440	\$1.80	\$2.55	\$3.70	\$5.10	\$6.75	\$7.25	\$7.75	\$13.00
0.0440	0.0360	\$2.10	\$2.90	\$4.25	\$5.95	\$8.05	\$8.75	\$9.50	\$15.25
0.0360	0.0320	\$2.50	\$3.45	\$4.85	\$6.75	\$9.10	\$9.75	\$10.45	\$16.75
0.0320	0.0280	\$2.65	\$3.70	\$5.15	\$7.25	\$9.50	\$10.30	\$11.15	\$18.75
0.0280	0.0250	\$2.95	\$3.75	\$5.50	\$7.75	\$10.55	\$11.25	\$12.00	\$20.80
0.0250	0.0220	\$3.25	\$4.00	\$6.35	\$9.20	\$11.75	\$12.75	\$13.65	\$23.80
0.0220	0.0200	\$3.75	\$5.00	\$7.25	\$10.75	\$13.60	\$14.75	\$16.10	
0.0200	0.0180	\$5.40	\$5.75	\$8.45	\$11.75	\$14.95	\$16.25	\$17.55	
0.0180	0.0160	\$6.25	\$6.40	\$9.50	\$12.60	\$16.75	\$18.30	\$19.80	
0.0160	0.0150	\$6.75	\$7.10	\$10.55	\$13.75	\$17.30	\$19.05	\$20.70	
0.0150	0.0140	\$7.60	\$8.05	\$12.00	\$15.75	\$20.70	\$22.40	\$24.20	
0.0140	0.0130	\$8.25	\$8.45	\$12.80	\$16.75	\$21.60	\$23.80	\$26.25	
0.0130	0.0120	\$8.90	\$9.20	\$13.65	\$17.95	\$23.00	\$25.40	\$27.90	
0.0120	0.0110	Inquire	Inquire	Inquire	Inquire				
0.0110	0.0100	Inquire	Inquire	Inquire	Inquire				

ALUMINIZED COATING EXTRAS - TYPE 1

Nominal		Minimum		Coating Weight				
Under	Thru	Under	Thru	Type 1 13	Type 1 25	Type 1 40	Type 1 50	Type 1 60
0.1630	0.1340	0.1600	0.1300	Inquire	Inquire	Inquire	Inquire	Inquire
0.1340	0.1200	0.1300	0.1160	Inquire	Inquire	Inquire	Inquire	Inquire
0.1200	0.1050	0.1160	0.1010	Inquire	Inquire	Inquire	Inquire	Inquire
0.1050	0.0870	0.1010	0.0850	\$1.45	\$2.05	\$2.60	\$2.90	\$3.20
0.0870	0.0770	0.0850	0.0750	\$1.80	\$2.60	\$3.40	\$3.85	\$4.30
0.0770	0.0620	0.0750	0.0600	\$1.95	\$2.65	\$3.50	\$3.95	\$4.35
0.0620	0.0540	0.0600	0.0520	\$2.05	\$2.80	\$3.75	\$4.25	\$4.70
0.0540	0.0460	0.0520	0.0440	\$2.40	\$3.35	\$4.55	\$5.15	\$5.85
0.0460	0.0370	0.0440	0.0360	\$3.05	\$4.20	\$5.70	\$6.45	\$7.20
0.0370	0.0330	0.0360	0.0320	\$3.40	\$4.75	\$6.45	\$7.30	\$8.15
0.0330	0.0290	0.0320	0.0280	\$3.90	\$5.45	\$7.45	\$8.45	\$9.40
0.0290	0.0260	0.0280	0.0250	\$4.50	\$6.25	\$8.30	\$9.40	\$10.40
0.0260	0.0230	0.0250	0.0220	\$5.05	\$7.05	\$9.40	\$10.45	\$11.70
0.0230	0.0210	0.0220	0.0200	\$5.60	\$7.85	\$10.55	\$11.65	\$13.00
0.0210	0.0200	0.0200	0.0190	\$6.25	\$8.55	\$11.65	Inquire	Inquire
0.0200	0.0190	0.0190	0.0180	\$6.50	\$8.70	\$11.75	Inquire	Inquire
0.0190	0.0180	0.0180	0.0170	\$7.00	\$9.65	\$13.30	Inquire	Inquire
0.0180	0.0170	0.0170	0.0160	\$7.45	\$10.40	\$13.95		
0.0170	0.0160	0.0160	0.0150	\$7.90	\$11.00	\$15.00		
0.0160	0.0150	0.0150	0.0140	Inquire	Inquire	Inquire		
0.0150	0.0140	0.0140	0.0130	Inquire	Inquire	Inquire		
0.0140	0.0130	0.0130	0.0120	Inquire	Inquire	Inquire		



www.steeldynamics.com